



COASTLINE

Where the land meets the sea to offer a natural boundary and beautiful breathing space. An area of rugged resilience and uncompromising beauty. Remote depths of maritime colour and rich, rippling textures appear as the rugged shoreline meets the splendour of the coastal cliffs and a new journey begins.

Left to right: Seascape in Harbor (SEA153-207), Seascape Transition in Warm Dawn/Harbor (SET189-252/153-207) and Seascape in Warm Dawn (SEA189-252) | Monolithic installation


















SEASCAPE | COOL TONES

There are 4 cool neutrals available for transitioning into 10 cool casted accents.









SEA154-153 ROCKPOOL

SEA153-144 PAMPAS GRASS

LIGHTHOUSE

SEA215-119 SEABED

COOL TRANSITIONS

Left and right transition tiles complete the design. All patterns can be used together or separately depending on the floor layout.

SET6-188/154-153

COOL YELLOW



SET154-153/6-188 ROCKPOOL/COOL YELLOW PEBBLE

SET154-153/139-171 ROCKPOOL/ COOL SALT



SET154-153/252-189 ROCKPOOL/ **COOL DAWN**




SEA6-188 **COOL YELLOW**

PEBBLE

SEA252-189

COOL DAWN



SEA139-171 SET139-171/154-153 **COOL SALT** COOL SALT /



SET252-189/154-153 COOL DAWN/ ROCKPOOL



SET154-153/203-202 ROCKPOOL/ **COOL SEAGRASS**



SET154-153/228-196 ROCKPOOL/ COOL WAVE



SET154-153/189-169 ROCKPOOL/ **COOL POPPY**



SEA203-202 **COOL SEAGRASS**

SET203-202/154-153

SET228-196/154-153

SET189-169/154-153

COOL POPPY/

ROCKPOOL

COOL WAVE/

ROCKPOOL

COOL SEAGRASS/

ROCKPOOL



SEA228-196 **COOL WAVE**



SEA189-169 COOL POPPY



ROCKPOOL/ COOL SCALLOP



SET154-153/120-230 ROCKPOOL/



SET154-153/258-249 ROCKPOOL/ **COOL MARINE**



SET154-153/109-169 ROCKPOOL/ COOL RED CORAL



SEA153-261

SEA120-230

SEA258-249

SEA109-169

COOL RED CORAL

COOL MARINE

COOL GREEN REEF

COOL SCALLOP

SET153-261/154-153 COOL SCALLOP / ROCKPOOL



SET120-230/154-153 COOL GREEN REEF / ROCKPOOL



SET258-249/154-153 COOL MARINE / ROCKPOOL



SET109-169/154-153 COOL RED CORAL/ ROCKPOOL



SEASCAPE | WARM TONES

There are 6 warm neutrals available for transitioning into 10 warm casted accents.



HARBOR







DUNE



SHORELINE



WARM TRANSITIONS

Left and right transition tiles complete the design. All patterns can be used together or separately depending on the floor layout.

SANDBAR



SET153-207/218-188 HARBOR/WARM YELLOW PEBBLE



SET153-207/171-139 HARBOR/ WARM SALT



SET153-207/189-252 HARBOR/ WARM DAWN



SEA218-188 WARM YELLOW **PEBBLE**



SEA189-252

WARM DAWN



HARBOR

WARM DAWN/

HARBOR

SET218-188/153-207

WARM YELLOW

PEBBLE/HARBOR

SET189-252/153-207



SET153-207/196-228

SET153-207/202-203

WARM SEAGRASS

HARBOR/

SET153-207/189-109 WARM POPPY



SEA202-203 WARM SEAGRASS




WARM WAVE

SEA189-109

WARM POPPY







SET202-203/153-207


WARM SEAGRASS

/HARBOR

SET189-109/153-207 WARM POPPY/ HARBOR



SET153-207/120-261 HARBOR/ WARM SCALLOP



SET153-207/13-203 HARBOR / WARM GREEN REEF



SET153-207/249-258 HARBOR/ WARM MARINE

SET153-207/169-109

WARM RED CORAL

HARBOR /



SEA249-258

WARM MARINE

SEA120-261

SEA13-203

WARM GREEN REEF

SEA169-109 WARM RED CORAL



SET120-261/153-207 WARM SCALLOP / HARBOR



SET13-203/153-207 WARM GREEN REEF / **HARBOR**




SET249-258/153-207 WARM MARINE/ HARBOR



SET169-109/153-207 WARM RED CORAL / **HARBOR**





Milliken COUTURE

CUSTOMISATION SIMPLIFIED

CONCEPT

Begin your custom carpet journey with your own design or simply recolour an existing Milliken pattern.



Collaborate with our design team to create flowing patterns, complex effects or evolving colour palettes.

REFINE

Fine tune your preferred design to ensure it meets all the design, technical and quality requirements for your project, then receive a full size sample for review.

PRODUCE

Our innovative PrintWorks™ manufacturing technology guarantees quick production and despatch within 3 weeks of order placement.



CLIMATE CHANGE IS ONE OF THE GREATEST THREATS FACING HUMANITY, AND WE ARE ALL RESPONSIBLE.

That's why Milliken Floor Covering launched the **M/PACT**[™] carbon neutral program. Today, our carpet, LVT and entrance flooring tiles are carbon neutral everywhere in the world.

m/PACT carbon neutral products offset the raw materials and manufacturing carbon footprint* by using 3rd party Verified Carbon Standard Credits that support renewable energy and carbon reduction technologies to help fight climate change. When you choose M/PACT products, you can be sure your choice is carbon neutral.





CARBON NEUTRAL PROGRAM

Investment

Today we invest through renewable energy credits, verified carbon offsets, and installing solar power at our Sydney manufacturing facility. We also continue to invest in more efficient manufacturing technologies and in local supply chains.

Materials

We believe material health is essential to enable circularity. The use of materials that don't contain harmful chemicals provides a critical pathway to end-of-life product recycling. Our carpet, LVT and entrance flooring tiles are recyclable.

Dematerialisation

We continue to support the advancement of a circular economy – one that uses less new raw materials and creates less waste. For example, we have created a portfolio of carpet tiles that use less raw material, reducing embodied carbon. We will continue to challenge ourselves and our supply chains to extend innovation in new technologies for dematerialisation.

Manufacturing

We leverage our global manufacturing and local supply chains to minimise carbon emissions. More efficient manufacturing and distribution not only reduces our global carbon footprint, it also has a direct positive impact on the communities we call home.

Wellness

Climate change directly impacts human health and wellness. Pollution. Natural disasters. Droughts. As a founding member of the Well Living Lab and a Well Portfolio Member, we aspire to design products that enhance well-being and quality of life of indoor spaces.

We will continue to do more to lower our carbon footprint.

The M/PACT™ program is long-term, because the fight to stop climate change will be a long one. As a global manufacturing company, we set 2025 goals that align with the United Nations Sustainable Development Goals. We push ourselves to meet our targets on Planet, Product, and People, including a 25% reduction in indexed greenhouse emissions by 2025. These 2025 goals are a benchmark for us to achieve more, faster. We encourage you to specify our carbon neutral products for all of your projects to ensure the climate change journey continues.

Together, we can make a positive $\mathbf{M/PACT}^{\text{\tiny{TM}}}$ on the world for generations.

^{*} As calculated and verified scope A1-3 GWP through a ISO14025/ ISO14040 compliant LCA and published in third party EPDs.





FACE FABRIC

Patterns and structures made up of nylon yarns with our state of the art tufting technology.

PRIMARY BACKING

The face yarn is tufted through a high quality non-woven textile. The structure of the textile holds the yarn in place acting as the primary backing.

PRECOAT

The precoat layer locks the tufted yarns in the primary backing to ensure good tuft bind strength between the yarns and the backing.

FIBERGLASS

polyolefin compound to ensure dimensional stability of the tile.

SECONDARY BACKING

Proprietary Polyolefin compound layer formulated by Milliken R&D scientists to create a durable and stable tile. Our formulation does not contain PVC or plasticizers.

PREMIUM CUSHION

WellBAC® Comfort and Comfort Plus incorporate a premium cushion layer, designed to provide additional health and wellness benefits. Milliken's cushion is made from recycled polyurethane

Milliken's standard cushion backing system offering enhanced underfoot comfort, acoustic and wear performance.

A high quality fiberglass layer is embedded in the

foam.

FELT BACK

A protective non-woven textile layer provides a breathable nonreactive finish. It enhances health and wellness.



COASTLINE

Seascape | Seascape Transition

SPECIFICATION

M/PACT™

When you choose M/PACT™ products, you can be sure your choice is carbon neutral. M/PACT™ carbon neutral products offset the raw materials and manufacturing carbon footprint* by using 3rd party Verified Carbon Standard Credits that support renewable energy and carbon reduction technologies to help fight climate change. *as calculated and verified through a ISO14025/ISO14040 compliant LCA and published in third party EPD.

Standard Backing

Cushion Backing | WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)

Acquistic Value

Noise Reduction Coefficient - NRC ≥ 0.25 Impact Sound Pressure Level - Ln w < 47dB

Concrete Slab Moisture Mitigation Site-Related Solutions (SRS): Milliken cushion-backed tile + Non-Reactive Standard Adhesive means installation 60 days after a new concrete pour, fully warranted no

moisture testing required. Refer to www.millikenfloors.com.au

Lightfastness (AATCC 16E) ≥ 4.0 at 80 Hours Construction Tufted Textured Loop Tile Size 50cm x 50cm Static Electricity ≤ 3.5KV

(AATCC-134) 20% R.H., 70°F Yarn Type Milliken Certified 100% Nylon

Stain Resist | Soil Release Stain Smart® Indoor Air Quality ≤0.5mg/m³ (GLP0793)

Dye Method PrintWorks™ CRI Green Label Plus™

Gauge 1/10 VOC Pass (ISO 10580:2010)

Stitches Per Inch 14.1 ACCS Grading CMD 2*, REHD1 5*, Suitable for Stairs

Tufts 144/in² (2,230/100cm²) Environmental ECS Grading -

Recyclable 100% Level 4 + (Core + No Chemicals of Concern + Recycled Content by 45% EPD + Carbon Neutral) Total Weight Declare - RED LIST FREE

Nominal Total Thickness 8.4mm Cradle to Cradle - Silver Nominal Pile Thickness 2.8mm M/PACT™ Carbon Offset Program

Nominal Total Weight 90.3 oz/yd²(3,062g/m²) Environmental Product Declaration (EPD) Flammability CHF/CRF = 6.3kW/m², Smoke value = 136%.min Health Product Declaration (HPD)

(Radiant Panel Test) Works with WELL

The recognised Product Certification Initiatives in the Green Star rating tools that contribute to the responsible product value of Milliken carpet tiles are as listed. The Green Building Council of Australia recognises Responsible Products that may contribute to a Green Star rating through its Responsible Credits (rpv).

1. ECS Carpet Standard v2.2

2. Cradle to Cradle

3. Declare 2.0 - Red List Free

4. Science-Based Targets Initiative (SBTi)

GBCA Responsible Product Value

30 rpv

Recommended Installation Method(s)

Monolithic

Recommended Area of Use

Commercial Extra Heavy Duty

Warranties

20-year Wear Warranty

20-year Dimensional Stability Warranty

20-year Anti-Static Warranty

20-year Castor Chair Wear Warranty















Australia:

Monolithic installation

and Warm Salt (SEA171-139)

Seascape in Pampas Grass (SEA153-144)

Toll Free: 1800 668 372 New Zealand:

Toll Free: 0800 668 372 www.millikenfloors.com.au (Australia & New Zealand)

This WellBAC® cushion-back carpet tile product is covered by one or more patents, published applications and/ or patents pending. Specifications are subject to normal manufacturing tolerances and may be changed without prior notice. Copies of actual test results are available upon request.

© 2024 Milliken & Company | Design © Milliken & Company