



CUES FROM THE MASTERS

Overlay channels the layered process of screen printing, where each pass adds depth, texture, and imperfect alignment. Translucent forms overlap in a rhythmic grid, creating a pattern that feels both methodical and handmade—like ink settling into fabric, one screen at a time.



Inspired by a painter's brushwork, bold strokes evoke a sense of movement as quick gestures meld with softer, organic shapes. Deliberate imperfections in the pattern—like a canvas left mid-process—evoke the spontaneity of mark-making in a modern, abstract painting.



Primer takes its cue from an artist's primed canvas—subtle, textured, and alive with potential. Layers of soft neutrals combine in a subtle, tonal wash to create a surface that feels open and atmospheric. 'Primer' is a blank slate brushed with just enough pigment to suggest depth, movement, and beg the question, 'what's next?'.

Halftone draws from the delicate dot patterns used in screen printing to suggest imagery without fully defining it. Soft layers fade in and out, creating a gentle rhythm of tonal shifts—like a print in quiet focus, where the image is more felt than seen.



MEET THE ARTIST



Todd Van Der Kruik

With Open Studio, I wanted to capture the creative energy of the studio—the mess, the movement, the quiet moments of inspiration. Each pattern draws from the tools and techniques I love: bold brushstrokes, layered screen prints, subtle textures that feel handmade. The result is a collection that feels expressive and modern, with a sense of process built into every design.







AN ELEVATED PALETTE

Our products deliver the ultimate in luxury and longevity.

Engineered to withstand the demands of high-traffic environments, they offer lasting beauty in both expansive open spaces and intimate settings. These timeless patterns provide exceptional value, making them the ideal choice for projects of any scale.












HALFTONE



Impasto Ivory HAL174-215



Desert Bisque HAL254-209


Chisel Grey

Gesso White


HAL108-215

Stencil Shadow


HAL133-250



Graphite Gleam HAL215-174




Charcoal Line HAL118-133



Aged Steel HAL152-220

OVERLAY




Impasto Ivory OVL174-215



Desert Bisque OVL254-209




Graphite Gleam OVL215-174



Chisel Grey OVL133-13



Charcoal Line OVL118-133



Gesso White OVL108-215




Aged Steel OVL152-220



Stencil Shadow OVL133-250


PRIMER



Impasto Ivory PMR174-215



Desert Bisque PMR254-209



Graphite Gleam PMR215-174



Charcoal Line PMR118-133




Aged Steel PMR152-220



Chisel Grey PMR133-13



Gesso White PMR108-215



Stencil Shadow PMR133-250

CANVAS




Impasto Ivory CNV174-215



Desert Bisque CNV254-209



Graphite Gleam CNV215-174



Chisel Grey CNV133-13



Charcoal Line CNV118-133



Gesso White CNV108-215



Aged Steel CNV152-220



Stencil Shadow CNV133-250





WellBAC™ cushion backing **enhances ergonomics and underfoot comfort**, reducing as much as 24% of muscle strain (compared to hardback).



The acoustic technology of our carpet **reduces noise by up to 50%** as compared to other flooring.


WellBAC™ open-cell backing allows the floor to breathe. In fact, we haven't seen a moisture claim in 20+ years.




Save time and money with installation. Our carpet tiles can be installed over old adhesive and it's rarely necessary to scarify or seal the floor.



Designed with wellness in mind, we select carpet materials that are Red List Free and PVC-Free.





CLIMATE IMPACT

Our climate is changing. Milliken takes a holistic approach reducing our products' embodied carbon without compromise to quality. We champion circularity through our N/XT Life™ reclamation program, and continue on our carbon reduction journey offsetting the full cradle-to-gate carbon footprint through our M/PACT™ program.



M/PACT

N/XT LIFE™

MATERIAL HEALTH

Our innovative flooring solutions pave the way for healthier, happier, more productive spaces. All Milliken carpet is **PVC-Free** and free of harmful Red List materials.

With 100% material transparency, low-VOC, and less new raw materials, we aim to eliminate harmful chemicals in-line with the highest voluntary standard.







Declare.

PACKED with PERFORMANCE.



Scan to learn more about all the benefits Milliken products have to offer.



Scan to learn more about our commitme to sustainability.

YOUR COMPLETE FLOORING SOLUTION

Discover sustainably crafted, high performance Resilient and Entrance Flooring options at

www.MillikenFloors.com



OPEN STUDIO

Halftone / Overlay / Primer / Canvas Canvas Trace

Construction Tufted, Textured Loop

Tile Size

50 cm x 50 cm (19.7" x 19.7")

Yarn Type

ECONYL® Solution-Dyed Nylon

Stain Resist / Soil Release

StainSmart®

Nominal Total Thickness

Primer, Halftone, Overlay: 0.35" (8.89 mm) Canvas: 0.36" (9.14 mm) **Average Density** (Finished)

Canvas: 6,700 Halftone: 7,300 Overlay: 7,600 Primer: 7,400

Standard Backing PVC-Free WellBAC® Comfort Cushion

Available with TractionBack®

Texture Appearance Retention Rating (TARR)

Severe Traffic End-Use **Applications**

Recommended Installation Method(s)





MONOLITHIC ASHLAR *Canvas Trace installation is only available in Ashlar.

SUSTAINABLE FEATURES

Open Studio is manufactured with PVC-Free WellBAC® Comfort cushion backing, and is certified NSF-140 Gold. **Open Studio** is also available with our NSF-140 Platinum backing option.















M/PACT TM CARBON OFFSET PROGRAM

TRACTIONBACK

Simplify your modular installation with Milliken's patented TractionBack®, an innovative backing system that is faster, more cost efficient, and environmentally superior to wet adhesives and peel-and-stick carpet tile.

SHOWN ON THE COVER

(Front) Primer in Desert Bisque PMR254-209 and Canvas in Desert Bisque CNV254-209. Monolithic. (Back) Canvas in Aged Steel CNV152-220 and Primer in Aged Steel PMR152-220. Monolithic.

Images in this brochure and architect folder are approximate for color and pattern scale. Please use actual carpet samples to make your final selections.